

Vol. 22, No. 1, Spring 1393/2014 Pages 1 to 6



## Synthesis, Characterization and Crystal structure of Chiral Schiff base compound (*E*)-3, 4-Dimethoxy [(1-phenylethyl) iminomethyl] benzyne

A. Dehno Khalaji<sup>1,\*</sup>, A. Foroghnia<sup>2</sup>, K. Fejfarova<sup>3</sup>, M. Dusek<sup>3</sup>

1-Department of Chemistry, Faculty of Sciences, Golestan University, Gorgan, Iran
2-Department of Chemistry, Qaemshahr Islamic Azad University, Qaemshahr, Iran
3-Institute of Physics of the ASCR, v.v.i., Na Slovance 2, 182 21 Prague 8, Czech Republic

(Received: 1/7/2012, in revised form: 19/11/2012)


**Abstract:** The crystal structure of the title chiral Schiff base compound (*E*)-3,4-dimethoxy[(1-phenylethyl)iminomethyl]bezyne (1) was determined by single-crystal X-ray diffraction data. The title compound was further characterized by elemental analyses (CHN), FT-IR, <sup>1</sup>H-NMR and UV-Vis spectroscopic techniques. It crystallizes in the monoclinic space group *P*2<sub>1</sub> with unit cell parameters:  $a = \underline{19.0121}(2)$ ,  $b = \underline{8.2507}(2)$ ,  $c = \underline{9.7331}(4)$  Å,  $\beta = \underline{92.488}(2)^\circ$ ,  $V = \underline{1525.33}(7)$  Å<sup>3</sup>, Z = 4,  $R_1 = 0.0299$ ,  $wR_2 = 0.787$ ,  $R_1 = 0.0329$ ,  $wR_2 = 0.0804$ .

Keywords: Chiral Schiff-base; crystal structure; spectroscopy; monoclinic.

## Introduction

Schiff-bases have been used extensively as ligands in the field of coordination chemistry and they have interesting structures [1-3]. These compounds have been synthesized by condensation of carbonyl compounds with amines [4,5]. Furthermore, free Schiff base compounds may have antimicrobial [6] and nonlinear optical [7] properties. They may exhibit photochromism and thermochromism in the solid state by proton transfer [8] and they may act as anion sensor [9]. Several groups have developed chiral Schiff base ligands and theirs transition metal complexes [10-14].

As an additional contribution to the synthesis, characterization and crystal structures of Schiffbase compounds and theirs transition metal complexes and in the course of our ongoing studies of these kinds of materials [15-20], in this work,, we report on synthesis, characterization and crystal structure of a new chiral Schiff base compound (E)-3,4-dimethoxy[(1-phenylethyl) iminomethyl] benzyne (Scheme 1).



Scheme 1 The chemical structure of (E)-3,4-dimethoxy[(1-phenylethyl)iminomethyl]bezyne.

Corresponding author, Tel: 0171-4427040, Fax: 0171-4427050, Email: ad.khalaji@gu.ac.ir

## Experimental

All reagents and solvents for synthesis and analysis were commercially available and used as received without further purification. Infrared spectra were recorded using KBr disks on a FT-IR Perkin-Elmer spectrophotometer. Elemental analyses were carried out using a Heraeus CHN-O-Rapid analyzer. <sup>1</sup>H-NMR spectra were measured on a BRUKER DRX-500 AVANCE spectrometer at 500 MHz. All chemical shifts are reported in  $\delta$ units downfield from TMS. Thermogravimetric analyses were done on a Perkin Elmer TGA/DTA lab system 1 (Technology by SII) in nitrogen atmosphere with a heating rate of 20°C/min from 35 to 700 °C. UV-Vis absorption spectra were recorded on a JASCO V-570 spectrophotometer;  $\lambda_{max}/\epsilon$  in nm.

# Synthesis of (E)-3,4-dimethoxy[(1-phenylethyl) iminomethyl] benzyne

3,4-Dimethoxybenzaldehyde (0.4 mmol) and 1phenylethylamine (0.4 mmol) were dissolved in a mixture of methanol:chloroform (1:1 v/v, 20 ml) at room temperature. The mixture was stirred and heated for 30 min to give a clear solution. After cooling, the product was allowed to crystallize at room temperature. Colorless crystals were formed at the bottom of the vessel after 5 days of slow evaporation of the solvent. The resulting colorless crystals were collected by filtration and dried at room temperature. Yield: 80%. *Anal.* Calc. for C<sub>17</sub>H<sub>19</sub>NO<sub>2</sub>: C, 75.80; H, 7.11; N, 5.20%. Found: C, 75.92; H, 7.25; N, 5.24%. IR (KBr pellet, cm<sup>-1</sup>): 2924-3079 (CH aliphatic and aromatic), 2842 (s, -CH=N-); 1641 (s, C=N). UV–Vis,  $\lambda_{max}$  (nm)/ $\epsilon$  (M<sup>-1</sup>cm<sup>-1</sup>); 269 (19971), 301 (13603), 355 (1273). <sup>1</sup>H-NMR (CDCl<sub>3</sub>,  $\delta$ (ppm)): 1.61 (d, 3H, -N-HC-CH<sub>3</sub>), 3.91 (s, 3H, -OCH<sub>3</sub>), 3.96 (s, 3H, -OCH<sub>3</sub>), 4.54 (q, 1H, -CH-N-), 6.87 (d, 1H, H<sub>4</sub>), 7.19 (dd, 1H, H<sub>3</sub>), 7.25 (t, 2H, H<sub>7</sub>), 7.35 (3, 2H, H<sub>6</sub>), 7.44 (d, 2H, H<sub>5</sub>), 7.51 (s, 1H, H<sub>2</sub>), 8.29 (s, 1H, H<sub>1</sub>).

## X-ray crystallography

A single crystal of 1 was chosen for X-ray diffraction study. Crystallographic measurements were done at 150 K with four circle CCD diffractometer Gemini of Oxford Diffraction, Ltd., with mirrors-collimated Cu Ka radiation ( $\lambda$  = 1.54184 Å). The crystal structure was solved by direct methods with program SIR2002 [21] and refined with the Jana2006 program package [22] by full-matrix least-squares technique on  $F^2$ . The molecular structure plots were prepared by ORTEP III [23]. Hydrogen atoms were mostly discernible in difference Fourier maps and could be refined to reasonable geometry. According to common practice they were nevertheless kept in ideal positions during the refinement. The isotropic atomic displacement parameters of hydrogen atoms were evaluated as  $1.2U_{eq}$  of the parent atom. Crystallographic data and details of the data collection and structure solution and refinements are listed in Table 1. Selected bond distances and angles are given in Table 2.

Table 1. (	Crystallographic data,	collection and	parameters of structure	refinement
------------	------------------------	----------------	-------------------------	------------

$P2_1$		
360		
08		

Table 2 Selected interatomic distances (A) and bond angles (°).							
O1-C4	1.370(2)	O3-C21	1.366(2)				
O1-C8	1.414(3)	O3-C25	1.421(3)				
O2-C5	1.363(2)	O4-C22	1.360(2)				
O2-C9	1.424(3)	O4-C26	1.428(2)				
N1-C1	1.259(3)	N2-C18	1.258(3)				
N1-C10	1.468(2)	N2-C27	1.470(2)				
C4-O1-C8	116.99(16)	C21-O3-C25	116.70(14)				
C5-O2-C9	117.94(17)	C22-O4-C26	117.18(16)				
C1-N1-C10	117.93(18)	C18-N2-C27	116.53(19)				
N1-C1-C2	123.25(19)	N2-C18-C19	124.0(2)				
N1-C10-C11	110.0(2)	N2-C27-C28	109.44(16)				
N1-C10-C17	108.67(19)	N2-C27-C34	108.9(2)				
O1-C4-C3	125.11(18)	O3-C21-C20	125.03(18)				
O1-C4-C5	114.58(15)	O3-C21-C22	114.63(14)				
O2-C5-C4	115.02(17)	O4-C22-C21	115.39(17)				
O2-C5-C6	125.37(18)	O4-C22-C23	124.97(17)				

#### **Results and discussion**

The title compound was obtained in relatively high yield, 89%. The stability of dissolved compound is much shorter than in the solid state and depends on the nature of the solvent. The title compound is stable in methanol and acetonitrile solution at room temperature for several days, and it remains unchanged in chloroform and dichloromethane for about one week at room temperature.

#### **Spectral characterization**

The observed strong bands at 2842 and 1641 cm<sup>-1</sup> in FT-IR spectrum are assigned to the -CH=N- and -C=N- stretching vibrations [15-20]. The FT-IR spectraum also shows several weak bands corresponding to aromatic and aliphatic C-H stretching (2924-3079 cm<sup>-1</sup>), and aromatic C-C stretching (1419-1600 cm<sup>-1</sup>) [15-20].

The electronic spectrum of the synthesized compound has been recorded by using the spectrometer in the range of 200-600 nm. The representative UV-Vis spectrum of the title compound in chloroform is shown in Fig 1. As seen in the spectrum, there is no absorption in the visible region of the studied compound. All absorption bands of the title compound can be assigned to  $\pi$ - $\pi$ \* and n- $\pi$ \* transitions of phenyl ring, C=N and MeO- groups.

The 1H-NMR spectrum of the title compound displays one singlet signal at 1.60 ppm, two singlet signals at 3.91 and 3.96 ppm, , one singlet signal at 4.53 ppm, and one singlet signal at 8.29 ppm, assigned to protons of CH3-C group, CH3Ogroups, C-CH-Ph group and -HC=N group, respectively (Fig. 2). Hydrogens of aromatic rings appear between 6.87 – 7.51 ppm.




Fig 1. UV-Vis absorption spectrum of the title compound in chloroform.




Fig. 2 1H-NMR spectrum of the title compound in CDCl3.

## Crystal structure description

The title compound crystallizes in the monoclinic space group  $P2_1$ , with two independent molecules in the asymmetric unit. The molecular structure of the title compound with the atom numbering scheme is given in Fig. 3. All bond distances and angles are normal and are in good agreement with those reported in similar Schiff-base compounds [15-20].The C1 = N1 and N2=C18 bond lengths of 1.259(3) and 1.258(3) Å, respectively, conform to the value for a double bond, while the N1-C10 and N2-C27 bond lengths of 1.468(2) and 1.470(2) Å, respectively, conform

to the value for a single bond, like in similar Schiff-base compounds [18-28]. The bond angles the C1=N1-C10 and C18=N2-C27 bond angles are 117.93(18) and 116.53(19)°, respectively, which is consistent with the  $sp^2$  hybrid character of N1 and N2 atoms. There is difference in planarity in the two symmetry independent molecules, because the torsion angles of C18-N2-C27-C28 (112.07°) and C4-N1-C10-C11 (133.18°) are different (Fig. 4). The molecular conformation is stabilized by an intermolecular C7-H7···O4 hydrogen bond (Fig. 3 and Table 3).




Fig. 3 The molecular structure of the title compound in 50% probability ellipsoids. H atoms are shown as spheres of arbitrary radii. The dashed line presents a hydrogen bond.

Table 3         Hydrogen-bond geometry (Å, °).							
<i>D</i> -H···A	<i>D</i> -Н	H···A	D··· $A$	<i>D</i> <b>-</b> H <i>···A</i>			
С7—Н7…О4	0.960	2.582	3.415(2)	145.216			

#### Conclusion

In summary, new chiral Schiff-base compound (*E*)-3,4-dimethoxy[(1-phenylethyl)iminomethyl]

benzyne derived from 3,4-dimethoxybenzaldehyde and 1-phenylethylamine was synthesized and characterized. Crystal structure of the title compound was successfully determined by singlecrystal X-ray diffraction. Elemental analyses confirms the chemical composition of the synthesized compound while FT-IR, UV-vis and <sup>1</sup>H-NMR spectroscopy confirms the functional groups, particularly -HC=N imine groups, of the compound.

## Supplementary data

Crystallographic data (excluding structure factors) for the structure reported in this paper has been deposited with the Cambridge Crystallographic Center, CCDC No. 761896. Copies of the data can be obtained free of charge on application to The Director, CCDC, 12 Union Road, Cambridge CB2 1EZ, UK, fax: +44 1223 336 033, e-mail: deposit@ccdc.cam.ac.uk or http://www.ccdc.cam.ac.uk.

#### Acknowledgement

We acknowledge the Golestan University (GU) for partial support of this work, the Institutional Research Plan No. AVOZ10100521 of the Institute of Physics and the Praemium Academiae Project of the Academy of Sciences of the Czech Republic.

#### References

[1] Morshedi M., Amirnasr M., Triki S., Khalaji A.D., "<u>New (NS)<sub>2</sub> Schiff base with a flexible</u> spacer: Synthesis and structural characterization of its first coordination polymer  $[Cu_2(\mu-I)_2(\mu-(thio)_2dapte)]_n$  (1)", Inorganica Chimica Acta 362 (2009) 1637-1640.

[2] Zhou X.-H., Wu T., Li D., "Structural vibrations and spectroscopic properties of copper(I) complexes with bis(Schiff base) ligands", Inorganica Chimica Acta 359 (2006) 1442-1448.

[3] Khanmohammadi H., Salehifard M., Abnosi M.H., "Synthesis, characterization, biological and thermal studies of Cu(II) complexes of salen and tetraderosalen ligands", Journal of the Iranian Chemical Society 6 (2009) 300-309.

[4] van der Anker T.R., Cave G.W.V., Raston C.L., "Benign approaches for the synthesis of bisimine Schiff bases", Green Chemistry 8 (2006) 50-53.

[5] Hamaker C.G., Maryashina O.S., Daley D.K., Wadler A.L., "Synthesis and crystal structure of two Schiff bases of 2-(methylthio)aniline with halogenated salicylaldehydes", Journal of Chemical Crystallography 40 (2010) 34-39.

[6] Aslantas M., Kendi E., Demir N., Sabik A.E., Tumer M., Kertmen M., "Synthesis, spectroscopic, structural characterization, electrochemical and antimicrobial activity studies of the Schiff base ligand and its transition metal complexes", Spectrochimica Acta A74 (2009) 617-624.

[7] Karakas A., Unver H., Elmali A., "Synthesis, structure, linear and third-order nonlinear optical behavior of *N-(3-hydroxybenzalidene)-4-bromoaniline*", Journal of Molecular Structure 877 (2008) 152-157.

[8] Hadjoudis E., Ronroyianni A., Ambroziak K., Dziembowska T., Mavridis I.M., "Photochromism and thermochromism of solid trans-N,N'-bis-(salicylidene)-1,2-cyclohexanediamines and trans-N,N'-bis-(2-hydroxy-naphylidene)-1, 2malah muru adirmines" Journal of Photoshamistry

*cyclohexanediamine*", Journal of Photochemistry and Photobiology A162 (2004) 521-530.

[9] Hijji Y.M., Barare B., Kennedy A.P., Butcher R., *"Synthesis and photophysical characterization of a Schiff base as anion sensor"*, Sensors and Actuators B136 (2009) 297-301.

[10] Unver H., Yildiz M., Dulger B., Ozgen O., Kendi E., Durlu T.N., "Spectroscopic studies, antimicrobial activities and crystal structures of N-(2-hydroxy-3-methoxybenzylidene)-1-

*aminonaphthalene*", Journal of Molecular Structure 737 (2005) 159-164.

[11] Karakas A., Elmali A., Unver H., "Nolinear optical properties, synthesis, structures and spectroscopic studies of N-(4-nitrobenzylidene)-o-fluoroamine and N-(3-nitrobenzylidene)-p-fluoroamine", Spectrochimica Acta A61 (2005) 2979-2987.

[12] Wang Y., Yu Z., Sun Y., Wang Y., Lu L., "Synthesis, vibrational spectral and nonlinear optical studies of N-(4-hydroxy-phenyl)-2-

5

hydroxybenzaldehyde-imine: A combined experimental and theoretical investigation", Spectrochimica Acta A79 (2011) 1475-1482.

[13] Hosseini Monfared H., Pouralimardan O., Janiak C., "Synthesis and spectral characterization of hydrazone Schiff base derived from 2, 4dinitrophenylhydrazine. Crystal structure salicylaldehyde-2,4-dinitrophenylhydrazone", Z Naturforsch 62b (2007) 717-720.

[14] Sun Y., Wang Y., Liu Z., Huang C., Yu C., "Structural, proton-transfer, thermodynamic and nonlinear optical studies of (E)-2-((2hydroxyphenyl)iminomethyl)phenolate",

Spectrochimica Acta A96 (2012) 42-50.

[15] Khalaji A.D., Mighani H., Gotoh K., Ishida H., "Synthesis, characterization, structure, Ab initio and DFT calculations of 2-Amino-N-(3-phenylprop-2-enylidene)aniline", Journal of Chemical Crystallography 41 (2011) 1154-1157.

[16] Khalaji A.D., Mighani H., Bijanzadeh H.R., Gotoh K., Ishida H., "One dimensional hydrogen bonded arrangement in new Schiff-base compound (E)-2-(2,5-dimethoxybenzylideneamino)phenol (1): Synthesis, characterization, crystal structure and conformational studies", Journal of Chemical Crystallography 41 (2011) 1515-1519.

[17] Khalaji A.D., Najafi Chermahini A., Fejfarova K., Dusek M., "Synthesis, characterization, crystal structure, and theoretical studies on Schiff base compound 6-[(5-bromopyridin-2-yl) iminomethyl] phenol", Structural Chemistry 21 (2010) 153-157.

[18] Khalaji A.D., Fejfarova K., Dusek M., "Synthesis and characterization of two diimine Schiff bases derived from 2,4dimethoxybenzaldehyde: The crystal structure of N,N'-bis(2,4-dimethoxybenzylidene)-1,2-

*diaminoethane"*, Acta Chimica Slovenica 57 (2010) 257-261.

[19] Khalaji A.D., Fejfarova K., Dusek M., "Synthesis and crystal structure of Schiff base compounds N-(3,4-dimethoxybenzylidene)-4methoxyaniline (1) and N-(3,4dimethoxybenzylidene)-4-ethoxyaniline (2)", Journal of Crystallography and Mineralogy 19 (2011) 41-46.

[20] Khalaji A.D., Fejfarova K., Dusek M., "Bis [(2, 3, 4-Trimethoxy-Benzylidenepropylideneamino) Phenyl] Ether: Synthesis, Characterization and Crystal Structure", Journal of Chemical Crystallography 42 (2012) 263-266.

[21] Burla M.C., Camalli M, Carrozzini B, Cascarano G, Giacovazzo C, Polidori G, Spagna R., *"SIR2002 : the program"*, Journal of Applied Crystallography 36 (2003) 1103.

[22] Petricek V, Dusek M, Palatinus L. Jana2006.,
"Structure determination software programs".
Institute of Physics, Praha, Czech Republic (2008).
[23] Farrugia L.J., "ORTEP-3 for Windows - a version of ORTEP-III with a Graphical User Interface (GUI)", Journal of Applied Crystallography 30 (1997) 565.